



AN ISO 9001 : 2008 COMPANY

LED - DOWN LIGHTS



**CHALE
BINDASS...**



UPTO 80%
**energy
saver**

Price List - Nov., 2014




2" LED Spot Light

Wattage	2W		3W	
Lumen	160		240	
Colour Temp.	6500K / 2700K		6500K / 2700K	
Std. Packing	10		10	
Price (Rs.)/ Unit - White	PLDL 502 SL	Rs.325/-	PLDL 503 SL	Rs.450/-
Mystic Gold, Titanium Silver	PLDL 502 SLA	Rs.350/-	PLDL 503 SLA	Rs.475/-
Silky Wood, Chrome Silver	PLDL 502 SLB	Rs.375/-	PLDL 503 SLB	Rs. 500/-

Specifications:

1. Input voltage: 85 to 265V AC.
2. Size : \varnothing 65mm, H 30mm, \varnothing 45mm.




3" Round / Square LED Downlight

Wattage	4W		6W		8W	
Lumen	432		648		864	
Colour Temp.	6500K / 2700K		6500K / 2700K		6500K / 2700K	
Std. Packing	1		1		1	
Price (Rs.)/ Unit - White	PLDL 504	Rs.660/-	PLDL 506	Rs.850/-	PLDL 508	Rs.1040/-
Mystic Gold, Titanium Silver	PLDL 504A	Rs.700/-	PLDL 506A	Rs.880/-	PLDL 508A	Rs.1080/-
Silky Wood, Chrome Silver	PLDL 504B	Rs.720/-	PLDL 506B	Rs.920/-	PLDL 508B	Rs.1100/-

Specifications:

1. Input voltage: 85 to 265V AC.
2. Size : \varnothing 115mm, Sq. 115mm, H 65mm, \varnothing 80mm.

4W & 6W



8W




3" Polo / Dazzle LED Downlight

Wattage	4W		6W		8W	
Lumen	432		648		864	
Colour Temp.	6500K / 2700K		6500K / 2700K		6500K / 2700K	
Std. Packing	1		1		1	
Price (Rs.)/ Unit - White	PLDL 504 PD	Rs.720/-	PLDL 506 PD	Rs.920/-	PLDL 508 PD	Rs.1100/-
Mystic Gold, Titanium Silver	PLDL 504 PDA	Rs.770/-	PLDL 506 PDA	Rs.950/-	PLDL 508 PDA	Rs.1130/-
Silky Wood, Chrome Silver	PLDL 504 PDB	Rs.800/-	PLDL 506 PDB	Rs.990/-	PLDL 508 PDB	Rs.1170/-

Specifications:

1. Input voltage: 85 to 265V AC.
2. Size : \varnothing 115mm, Sq. 115mm, H 65mm, \varnothing 80mm.




3", 5", 7" Round / Square Panel LED Downlight

Wattage	3W- 3"		6W- 3"		12W- 5"		18W- 7"		24W- 7"	
Lumen	324		648		1296		1944		2592	
Colour Temp.	6500K / 2700K		6500K / 2700K		6500K / 2700K		6500K / 2700K		6500K / 2700K	
Std. Packing	1		1		1		1		1	
Price (Rs.)/ Unit- - White	PPDL 503	Rs.720/-	PPDL 506	Rs.1020/-	PPDL 512	Rs.1920/-	PPDL 518	Rs.2820/-	PPDL 524	Rs.3200/-
Mystic Gold, Titanium Silver	PLDL 503A	Rs.740/-	PLDL 506A	Rs.1040/-	PLDL 512A	Rs.1960/-	PLDL 518A	Rs.2960/-	PLDL 524A	Rs.3280/-
Silky Wood, Chrome Silver	PLDL 503B	Rs.760/-	PLDL 506B	Rs.1060/-	PLDL 512B	Rs.2000/-	PLDL 518B	Rs.3000/-	PLDL 524B	Rs.3400/-

Specifications:


1. Input voltage: 85 to 265V AC.
2. Size : 3W - \varnothing 100mm, Sq. 100mm, H 35 mm, \varnothing 80mm.
3. Size : 6W - \varnothing 100mm, Sq. 100mm, H 35 mm, \varnothing 80mm.
4. Size : 12W - \varnothing 140mm, Sq. 140mm, H 35 mm, \varnothing 115mm.
5. Size : 18W - \varnothing 180mm, Sq. 180mm, H 40 mm, \varnothing 150mm.
6. Size : 24W - \varnothing 180mm, Sq. 180mm, H 40 mm, \varnothing 150mm.




2' x 2' LED Ceiling Downlight

Wattage	36W		48W	
Lumen	3890		5180	
Colour Temp.	6500L / 2700K		6500L / 2700K	
Std. Packing	1		1	
Price (Rs.)/ Unit- - White	PPDL 536	Rs.5400/-	PPDL 548	Rs.7000/-

Size: 600 mm x 600 mm x H 90 mm, \varnothing 565 x 565 mm



LED Bulb



Wattage	5W		8W	
Lumen	540		864	
Colour Temp.	6500K / 2700K		6500K / 2700K	
Std. Packing	10		10	
Price (Rs.)/ Unit- - White, W/W	PBL 505	Rs.630/-	PBL 508	Rs.770/-

Specifications:

1. Input voltage: 85 to 265V AC.
2. Base : B22d

5", 7" Linea Square LED Downlight

Specifications:

1. Input voltage: 85 to 265V AC.
2. Size : 12W- Sq. 140mm, H 20mm, \varnothing 120.
3. Size : 18W- Sq. 180mm, H 20mm, \varnothing 160.

Wattage	12W- 5"		18W- 7"	
Lumen	1296		1944	
Colour Temp.	6500K / 2700K		6500K / 2700K	
Std. Packing	1		1	
Price (Rs.)/ Unit - White	PPDL 512L	Rs.950/-	PPDL 518L	Rs.1380/-
Mystic Gold, Titanium Silver	PPDL 512LA	Rs.1010/-	PPDL 518LA	Rs.1440/-
Silky Wood, Chrome Silver	PPDL 512LB	Rs.1100/-	PPDL 518LB	Rs.1530/-



LED Bulb Eco

Wattage	0.5W		1W		3W		5W		7W	
Lumen	40		80		240		400		560	
Colour Temp.	6500K / 2700K		6500K / 2700K		6500K / 2700K		6500K / 2700K		6500K / 2700K	
Std. Packing	10		10		10		10		10	
Price (Rs.)/ Unit - White	PBL 005 Eco	Rs.70/-	PBL 101 Eco	Rs.90/-	PBL 303 Eco	Rs.150/-	PBL 505 Eco	Rs.200/-	PBL 707 Eco	Rs.260/-
Red, Green, Blue		Rs.70/-		Rs.90/-		Rs.170/-		Rs.220/-		Rs.300/-



Specifications:


1. Input voltage: 220V to 240V AC.
2. Base : B22d

3" LED Downlight Eco

Specifications:

1. Input voltage: 220 to 240V AC.
2. Size : \varnothing 115mm, H 50mm, \varnothing 80mm.

Wattage	3W (Constant Current)		3W		5W	
Lumen	240		240		400	
Colour Temp.	6500K / 2700K		6500K / 2700K		6500K / 2700K	
Std. Packing	1		1		1	
Price (Rs.)/ Unit - White	PLDL 503 A	Rs.400/-	PLDL 503 Eco	Rs.350/-	PLDL 505 Eco	Rs.400/-
Red, Green, Blue		Rs.450/-		Rs.400/-		Rs.450/-



3" LED Downlight

Specifications:

1. Input voltage: 220 to 240V AC.
2. Size : \varnothing 115mm, Sq. 115 mm x 115mm, H 50mm, \varnothing 80mm.

Wattage	1.3W		2.1W	
Lumen	104		168	
Colour Temp.	6500K / 2700K		6500K / 2700K	
Std. Packing	1		1	
Price (Rs.)/ Unit - White	PLDL 501	Rs.250/-	PLDL 502	Rs.300/-
Red, Green, Blue		Rs.280/-		Rs.350/-



3" Round & Downlight 1x 5/8w CFL

Base Diameter	B22d		B22d	
Std. Packing	96		96	
Price (Rs.)/ Unit- - White	PDL 503R	Rs.100/-	PDL 503SR	Rs.120/-
Mystic Gold, Titanium Silver	PDL 503RA	Rs.120/-	PDL 503SA	Rs.140/-
Silky Wood, Chrome Silver	PDL 503RB	Rs.140/-	PDL 503SB	Rs.160/-

Size: Ø 120 mm, Sq 120mm, H 120 mm, Ø 80mm



3" Downlight Rozy (flower) & Daizy (square) with glass

Base Diameter	B22d		B22d	
Std. Packing	96		96	
Price (Rs.)/ Unit- - White	PDL 503GR	Rs.140/-	PDL 503GD	Rs.140/-
Mystic Gold, Titanium Silver	PDL 503GRA	Rs.160/-	PDL 503GDA	Rs.160/-
Silky Wood, Chrome Silver	PDL 503GRB	Rs.180/-	PDL 503GDB	Rs.180/-

Size: Ø 120 mm, Sq 120mm, H 120 mm, Ø 80mm



4" Round Downlight 1 x 15/18w CFL

Base Diameter	B22d	
Std. Packing	45	
Price (Rs.)/ Unit- - White	PDL 504R	Rs.180/-
Mystic Gold, Titanium Silver	PDL 504RA	Rs.200/-
Silky Wood, Chrome Silver	PDL 504RB	Rs.250/-

Size: Ø 150mm x H 140 mm, Ø 120mm



4" Square Downlight with glass 1 x 15/18w CFL

Base Diameter	B22d	
Std. Packing	36	
Price (Rs.)/ Unit- - White	PDL 504GS	Rs.280/-
Mystic Gold, Titanium Silver	PDL 504GSA	Rs.310/-
Silky Wood, Chrome Silver	PDL 504GSB	Rs.350/-

Size: Sq 150mm x H 140 mm, Ø 120mm




3" x 2" Rectangular Downlight 2 x 5/8w CFL


Base Diameter	B22d x 2	
Std. Packing	52	
Price (Rs.)/ Unit- - White	PDL 505	Rs.260/-
Mystic Gold, Titanium Silver	PDL 505A	Rs.310/-
Silky Wood, Chrome Silver	PDL 505B	Rs.370/-

Size: 120 x 210 x H 120 mm, Ø 80 x 190mm






PEARL
WHITE



d-art



BOOM
Looking Beautiful PLUS



MCB's



LED - DOWN LIGHTS



WIRES & CABLES



AN ISO 9001 : 2008 COMPANY



<http://www.bis.org.in>

Key Specifications/Special Features:

Advantages:

- » Soft and uniform lighting output, no shadow or dark area.
- » Energy-saving up to 80%.
- » Long life span: 50 000 hours.
- » High quality powered **Cree Led Chip**.

Features:

- » Well designed Engineering Plastic heat sink to ensure dissipation of heat and durability.
- » High power factor driver separate replaceable.
- » Special diffuser that help to make the products glare free.
- » Instant start, no flickering, no humming.
- » Environment protection, 100% recyclable, without harmful chemicals such as mercury and lead.
- » Beam angle: 120 degrees.
- » Operating temperature: -40 to 50 degrees Celsius.
- » Materials: Engineering Plastic for heat sink, diffuser and frame.

Applications:

Hotels , Meeting rooms , Office building, Houses, Schools, Hospitals.

Energy Consumption (watts to attain Levels (Lumen)

Lumen	LED (w)	CFL (w)	GLS (w)
450	4 – 5	9 – 13	40
800	6 – 8	13 – 15	60
1100	9 – 13	18 – 25	75
1600	16 – 20	23 – 30	100
2600	25 – 28	30 – 55	150

Terms & Conditions

- » **PHILCON LED** lighting range carries warranty for one year against manufacturing defect / faulty workmanship.
- » The warranty states the company's entire liability. It does not extend to cover consequential loss or damage or installation costs arising from the defective products.
- » Due to our continuous research & development, product and price specifications may change.
- » Must produce the invoice to avail service during the warranty.
- » Disputes, if any, are subject to Delhi jurisdiction only.

Philcon uses state-of-the art technology to produce its complete PHILCON LIGHT range of LED. The Complete range of products is manufactured under supervision of highly qualified and skilled lamp industry engineers under very strict quality control measures, using modern manufacturing and testing equipments.

Mkt by:

Philcon Switchgear Pvt. Ltd.

C-85, Okhla Industrial Area, Phase-I, New Delhi

E-mail: philconindia@yahoo.com, Visit us at: philconindia.com

Auth. Dist./ Dealer

